

Publikationen (Auswahl) Dr. med. Johannes Rixe

Diagnosis of obstructive coronary artery disease using computed tomography angiography in patients with stable chest pain depending on clinical probability and in clinically important subgroups: meta - analysis of individual patient data.

Haase R, Schlattmann P, Gueret P, Andreini D, Pontone G, Alkadhi H, Hausleiter J, Garcia MJ, Leschka S, Meijboom WB, Zimmermann E, Gerber B, Schoepf UJ, Shabestari AA, Nørgaard BL, Meijis MFL, Sato A, Ovrehus KA, Diederichsen ACP, Jenkins SMM, Knuuti J, Hamdan A, Halvorsen BA, Mendoza-Rodriguez V, Rochitte CE, **Rixe J**, Wan YL, Langer C, Bettencourt N, Martuscelli E, Ghostine S, Buechel RR, Nikolaou K, Mickley H, Yang L, Zhang Z, Chen MY, Halon DA, Rief M, Sun K, Hirt-Moch B, Niinuma H, Marcus RP, Muraglia S, Jakamy R, Chow BJ, Kaufmann PA, Tardif JC, Nomura C, Kofoed KF, Laissy JP, Arbab-Zadeh A, Kitagawa K, Laham R, Jinzaki M, Hoe J, Rybicki FJ, Scholte A, Paul N, Tan SY, Yoshioka K, Röhle R, Schuetz GM, Schueler S, Coenen MH, Wieske V, Achenbach S, Budoff MJ, Laule M, Newby DE, Dewey M; COME-CCT Consortium.
BMJ. 2019 Jun 12; 365: l1945.

Multimodality imaging evaluation before transcatheter aortic valve implantation: incidence of contrast medium - induced acute kidney injury, risk factors and prognosis.

Schneider C, Brumberg A, Roller FC, **Rixe J**, Roth P, Krombach GA.
Clin Radiol. 2018 May; 73 (5): 502.e1-502.e8

Influence of irregular heart rhythm on radiation exposure, image quality and diagnostic impact of cardiac computed tomography angiography in 4,339 patients. Data from the German Cardiac Computed Tomography Registry.

Korosoglou G, Marwan M, Giusca S, Schmermund A, Schneider S, Bruder O, Hausleiter J, Schroeder S, Leber A, Limbourg T, Gitsioudis G, **Rixe J**, Zahn R, Katus HA, Achenbach S, Senges J.
J Cardiovasc Comput Tomogr. 2018 Jan - Feb; 12 (1): 34-41

Development and Suggestion of a Cardiac CTA Scoring System for the Prediction of Revascularization Success in Chronic Total Occlusions (CTO) of the Coronary Arteries.

Roller FC, Harth S, **Rixe J**, Krombach GA, Schneider C.
Rofo. 2016 Feb; 188 (2): 172-178.

Coronary computed tomographic prediction rule for time-efficient guidewire crossing through chronic total occlusion: insights from the CT-RECTOR multicenter registry (Computed Tomography Registry of Chronic Total Occlusion Revascularization).

Opolski MP, Achenbach S, Schuhbaeck A, Rolf A, Moellmann H, Nef HM, **Rixe J**, Renker M, Witkowski A, Kepka C, Walther C, Schlundt C, Debski A, Jakubczyk M, Hamm CW.
JACC Cardiovasc Interv. 2015 Feb; 8 (2): 257-267

Pulmonary vascular remodeling before and after pulmonary endarterectomy in patients with chronic thromboembolic pulmonary hypertension: a cardiac magnetic resonance study.

Rolf A, **Rixe J**, Kim WK, Guth S, Koerlings N, Moellmann H, Nef HM, Liebetrau C, Krombach G, Kramm T, Mayer E, Hamm CW.
Int J Cardiovasc Imaging. 2015 Mar; 31 (3): 613-619

Right ventricular adaptation to pulmonary pressure load in patients with chronic thromboembolic pulmonary hypertension before and after successful pulmonary endarterectomy: a cardiovascular magnetic resonance study.

Rolf A, **Rixe J**, Kim WK, Boergel J, Möllmann H, Nef HM, Liebetrau C, Kramm T, Guth S, Krombach GA, Mayer E, Hamm CW.

J Cardiovasc Magn Reson. 2014 Dec 5; 16: 96

Preprocedural coronary CT angiography significantly improves success rates of PCI for chronic total occlusion.

Rolf A, Werner GS, Schuhbaeck A, **Rixe J**, Moellmann H, Nef HM, Gundermann C, Liebetrau C, Krombach GA, Hamm CW, Achenbach S.

Int J Cardiovasc Imaging. 2013 Dec; 29 (8): 1819-1827

Individual patient data meta-analysis for the clinical assessment of coronary computed tomography angiography: protocol of the Collaborative Meta-Analysis of Cardiac CT (CoMe-CCT).

Schuetz GM, Schlattmann P, Achenbach S, Budoff M, Garcia MJ, Roehle R, Pontone G, Meijboom WB, Andreini D, Alkadhi H, Honoris L, Bettencourt N, Hausleiter J, Leschka S, Gerber BL, Meijs MF, Shabestari AA, Sato A, Zimmermann E, Schoepf UJ, Diederichsen A, Halon DA, Mendoza-Rodriguez V, Hamdan A, Nørgaard BL, Brodoefel H, Ovrehus KA, Jenkins SM, Halvorsen BA, **Rixe J**, Sheikh M, Langer C, Martuscelli E, Romagnoli A, Scholte AJ, Marcus RP, Ulimoen GR, Nieman K, Mickley H, Nikolaou K, Tardif JC, Johnson TR, Muraglia S, Chow BJ, Maintz D, Laule M, Dewey M.

Syst Rev. 2013 Feb 15; 2: 13

Multi-detector computed tomography is equivalent to trans-oesophageal echocardiography for the assessment of the aortic annulus before transcatheter aortic valve implantation.

Rixe J, Schuhbaeck A, Liebetrau C, Moellmann H, Nef HM, Szardien S, Brandt R, Schmitt J, Neumann T, Schneider C, Krombach G, Hamm CW, Achenbach S, Rolf A.

Eur Radiol. 2012 Dec; 22 (12): 2662-2669

Maladaptive hypertrophy after acute myocardial infarction positive effect of bone marrow-derived stem cell therapy on regional remodeling measured by cardiac MRI.

Rolf A, Assmus B, Schaechinger V, **Rixe J**, Moellmann S, Moellmann H, Dimmeler S, Zeiher AM, Hamm CW, Dill T.

Clin Res Cardiol. 2011 Nov; 100 (11): 983-92

Radiation dose exposure of computed tomography coronary angiography: comparison of dual-source, 16-slice and 64-slice CT.

Rixe J, Conradi G, Rolf A, Schmermund A, Magedanz A, Erkapic D, Deetjen A, Hamm CW, Dill T.

Heart. 2009 Aug; 95 (16): 1337-1342

Radiation dose in imaging of coronary artery disease: current status and perspectives.

Rixe J, Rolf A.

Interv. Cardiol. 2009 1 (2), 147-150

Immunohistological basis of the late gadolinium enhancement phenomenon in tako - tsubo cardiomyopathy.

Rolf A, Nef HM, Moellmann H, Troidl C, Voss S, Conradi G, **Rixe J**, Steiger H, Beiring K, Hamm CW, Dill T.

Eur Heart J. 2009 Jul; 30 (13): 1635-1642

Detection of relevant coronary artery disease using dual-source computed tomography in a high probability patient series: comparison with invasive angiography.

Rixe J, Rolf A, Conradi G, Moellmann H, Nef HM, Neumann T, Steiger H, Hamm CW, Dill T.
Circ J. 2009 Feb; 73 (2): 316-322

Image quality on dual-source computed-tomographic coronary angiography.

Rixe J, Rolf A, Conradi G, Elsaesser A, Moellmann H, Nef HM, Bachmann G, Hamm CW, Dill T.
Eur Radiol. 2008 Sep; 18 (9): 1857-1862

Assessment of coronary artery stent restenosis by 64-slice multi-detector computed tomography.

Rixe J, Achenbach S, Ropers D, Baum U, Kuettner A, Ropers U, Bautz W, Daniel WG, Anders K.
Eur Heart J. 2006 Nov; 27 (21): 2567-2572

Usefulness of multidetector row spiral computed tomography with 64-x0.6-mm collimation and 330-ms rotation for the noninvasive detection of significant coronary artery stenoses.

Ropers D, **Rixe J**, Anders K, Kuettner A, Baum U, Bautz W, Daniel WG, Achenbach S.
Am J Cardiol. 2006 Feb 1; 97 (3): 343-348